COPY OF PAPERS ORIGINALLY FILED

Attorney Docket No. 350013-66

Serial No. 09/424,091 Filed: February 23, 2000 Title: Immunological Method Applicant(s): Richard Andrew Kay

Group Art Unit No. 1644

Examiner: Amy M I lota

MAR 1 9 2002

TECH CENTER 1600/2900

ÉRTIFICATE OF MAILING

I hereby certify that on March 5, 2002, this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Commissioner of Patents, BOX NO FEE AMENDMENT, Washington, D.C. 20231.

37 CFR 1.8(a) with sufficient postage as first class mail

37 CFR 1.10 ☐ as "Express Mail Post Office to Addressee" Mailing Label, No. EL 920451777 US

Florence Thys-Doucet (Type\or, print name of person mailing paper

ature of person mailing pape

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Assistant Commissioner of Patents BOX NO FEE AMENDMENT Washington, D.C. 20231

AMENDMENT IN RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT (35CFR 1.121)

Dear Ms. DeCloux:

Responsive to the Notice of Non-Compliance, mailed February 19, 2002 and in light of the Office Action mailed December 26, 2001, Applicant timely encloses herewith both clean and marked up versions of replacement paragraph(s).

IN THE SPECIFICATION

On page 30, please replace the first complete paragraph with the following, amended and clean paragraph:

The two halves are then placed together in a PCR mix along with the TCRBV- and TCRBCspecific primers only and amplified in a 'hot-started' PCR reaction. During this second round of amplification, the 2 halves are annealed together by virtue of their overlapping mutation sequence and a new mutant template is created by the PCR process. The new PCR product can then be re-cloned back into a vector such as PCRscript and sequenced until an error-free clone is identified. Using this process we have replaced the SEQ ID NO: 1 (CATCAGAAGCAGAGATCTCC) sequence in the wild-type TCRBC region with the SEQ ID

NO: 2 (GATGTCAAGCTGGTCGAGAA) sequence from the corresponding region of the TCRAC gene. This mutation was designed not to affect the overall size, dG/dC:dA/dT content